www.SarkariExam.com

Indian Coast Guard- Navik Domestic Branch **Previous Year Paper**

<u>Max l</u>	<u>Marks: 150</u>	Time: 3 Hrs	
Part A	(Total Marks 45)		
1.	Indian Tide Tables gives tidal prediction for		
	 (a) Indian ports (b) Indian and selected foreign ports (c) Indian major ports (d) Indian major and foreign ports 		
2.	If pulse length of radar is 20 us, the range discrimination wil	l be	
	(a) 2000 yards (b) 1640 yards (c) 3280 yards (d) 1200 yards		
3.	Which one of the following is not an adjustable error in a sex	xtant?	
	 (a) Perpendicularity (b) Centering error (c) Side error (d) Collimation error 		
4.	Sun's tide raising force is about% that of the moo	n	
	(a) 45 % (b) 50 % (c) 55 % (d) 60 %		
5.	A pilotage claim becomes time-bar if it is not forwarded months	and submitted wit	hin
	(a) 6 (b) 12 (c) 32		

24

(d)

6.	While fixing a ship by two bearings of a single object, with a time interval between observations, the point of intersection of the transferred position line and the position line is the ship's position at the time of observation					
	(a) (b) (c) (d)	Second, first Second, second First, first First, second				
7.	While signa	altering your ship's course to port in a foggy weathers. You will sound				
	(a) (b) (c) (d)	Two shot blasts Two short blasts in addition to the sound signals as applicable in restricted visibility Two prolong blasts Two prolong blasts in addition to				
8.	Which	n one of the following is not a search pattern?				
	(a) (b) (c) (d)	Rectangular Circular Expanding square Intercepting				
9.	degre	etor is to be searched, using normal sector search between bearing of 180 see and 260 degree and to a depth of 200 miles. If the track spacing is 24, number of aircraft required will be				
	(a) (b) (c) (d)	2 3 4 5				
10	. Se	ector Search is mainly used				
	(a) (b) (c) (d)	by FPVS by aircraft if low probability of contact at the start is needed. number of ships but no aircraft available.				

11	Ι.	A crude oil with less then 10 API will definitely					
		(a) Float (b) Sink (c) Fiverests					
		(c) Evaporate (d) None of these					
12	2.	The effect of current and wind on the movement of 'oil spill' is approximately					
		(a) 100 % & 3 % (b) 100 % & 30 %					
		(c) 50 % & 30 %					
		(d) 50 % & Nil					
13	3.	As a general rule, dispersants are capable of dispersing most liquid oils, liquid, water in oil emulsions with viscosities less then					
		(a) 0 – 12000 c st					
		(b) 5000 – 10000 c st					
		(c) more then 2000 c st					
		(d) Less then 2000c st					
14	1	ISRR stands for					
		TOTAL Stands for					
15	5.	Who is the Chairman of 'NMSARB					
		(a) DG Shipping(b) DGCG					
		(c) PD(ops) at CGHQ					
		(d) DDG CG.					
16	3 .	In case of a 'SAR' mission, "A shore unit can never be 'OSC' is astatement".					
		(a) Correct					
		(b) Incorrect					
		(c) Not acceptable (d) None of these					

17.	. The	The headquarter of the IMO is located at						
	(a) (b) (c) (d)	London Geneva Paris New York						
18.		ry of any vessel, other than specifically engaged, is prohibited withiners of an oil rig.						
	(a) (b) (c) (d)	500 mtrs 1 Nm 5 Nm 1000 mtrs.						
19.	The	extent of continental shelf is from						
	(a) (b) (c) (d)	Base line to 24 Nm Base line to 200 Nm Base line to minimum 200 Nm Base line to 12 Nm						
20.	. Wh	ich of the following do not have financial powers?						
	(a) (b) (c) (d)	DGCG DDG COMCG COMDIS						
21.	. Tota	al number of 'ASEAN' member countries is						
	(a) (b) (c) (d)	10 11 12 13						
22.		olic mess traps under the charge of officer' mess should be reflected in the it sheet as.						
	(a) (b) (c) (d)	Liability Assets Not be reflected at all None of these						

23.	The va	alidity of money warrant is
	(a)	financial year
	(b)	calendar year
	(c)	assessment year
	(d)	none of these
24.	For th	e purpose of 'ROR' a sea plane is mostly considered as
	(a)	a power devoir vessel
	(b)	A WIG
	(c)	A hovercraft
	(d)	None of these
	. ,	
25.	The te	erm 'prolonged blast' means a blast of
	(a)	2.4 seconds
	(b)	3-5 seconds
	(c)	4-6 seconds
	(d)	3-6 seconds
26	The te	this beight
26.		erm 'Height above the hull' means height above of thethis height
	Silali L	be measured from the position vertically beneath the location of light.
	(a)	water line
	(b)	upper most continuous deck
	(c)	lower most continuous
	(d)	keel of the ship
	(4)	
27.	The D	TG on a "Enemy contact report' will be allotted by
	(-)	Mag
	(a)	MSO
	(b)	COMCEN
	(c)	Drafter
	(d)	Originator
28.	The m	naximum permissible time for clearance of message of priority
	(2)	15 MIN
	(a) (b)	2 Hrs
	(c)	4 Hrs
	(d)	12Hrs
	(3)	

29.	Which of the following is an INMARRAT "M" number?
	(a) 1xxxxxxx (b) 2xxxxxxx
	(b) 3xxxxxxxx (c) 4xxxxxxxx
	(d) 6xxxxxxxx
30.	DGCG is while visiting ashore, is entitled for the guard.
	(a) 51 men
	(b) 50 men
	(c) 21 men
	(d) None of the above
31.	Rate of fire of 40/60 gun is (while elevation is 60 degrees)
	(a) Max 60 rds/min
	(b) Max 2 rds/min
	(c) Max 240 rds/min
	(d) 300rds/min
32.	Diesel alternators fitted onboard CG ships are
	(a) Fixed RPM engine
	(b) Variable fuel engine
	(c) Fixed fuel rack engine
	(d) All of the above
33.	The major fire fighting system (HALON), being potential threat to the Ozone layer, will be phased out from developing countries by
	(a) 2009
	(b) 2010
	(c) 2011
	(d) 2012
34.	The stabilizers fitted on OPVs are of the following type
	The stabilization that of the drawing type
	(a) Retractable fin
	(b) Non-retractable fin
	(c) Semi retractable
	(d) None of the above

35	. If you want to double the range of the radar, power output will have to be increased
	(a) Two times
	(b) Three times
	(c) Four times (d) Five times
36	. Which of the following is "line of sight" communication?
	(a) HF
	(b) VHF
	(c) IN MARSAT
	(d) None of the above
37	Which one is not the part of sail?
	(a) Shroud
	(b) Spring hawks
	(c) Barricades (d) Travelers
	(d) Havelets
20	Which of the central marking will be grange colour?
38	. Which of the control marking will be orange colour?
	(a) X and Y
	(b) Y and Z (c) Z and A
	(c) Z and A (d) A and M
00	
39	. While undergoing 'RAS' the abeam distance between two ships is measured by.
	(a) 108 meters of 8 mm manila rope
	(b) 108 meters of 12 mm manila rope
	(c) 102 meters of 12 mm manila rope(d) 102 meters of 8 mm manila rope
40	Which are of the following is the most desirable trait in leader?
40	. Which one of the following is the most desirable trait in leader?
	(a) ability to communicate
	(b) ability to fight (c) ability be delegate
	(d) None of the above

41. Battle of INCHON was fought between

- (a) Allied force and US
- (b) US and Russia
- (c) Germany, Korea
- (d) None of the above

42. Falkland war was fought between

- (a) Argentina & Italy
- (b) Argentina & UK
- (c) Italy & UK
- (d) None of the above

43. Name the captain of the ship that India lost during 1971 war

- (a) Capt Oberai
- (b) Capt Shekhavat
- (c) Capt Nadkarni
- (d) Capt Mullah

44. Protocol used to receive e-mails on internet is

- (a) Outlook
- (b) TCP/IP
- (c) Internet Explorer
- (d) POP 3

44. Earthing of an electrical equipment is done to ensure safety of

- (a) Equipment
- (b) Personnel
- (c) To economise the bill
- (d) None of the above

PART B (TOTAL MARKS 45)

(All questions carry 02 marks except Q. No. 23)

- 1. List three definite phases of barometer, when a storm is going to pass uncomfortably close to the observer.
- 2 List the sections of Navigation data Book.
- 3. Write a short note on Tsunami
- 4. List the factors affecting 'visual detection' of the contact
- 5. Differentiate between "Pollution control" and pollution response".
- 6. Write the working principle of "weir skimmer".
- 7. Write a short note on "Receiver of the wreck".
- 8. List components and stages of SAR.
- 9. List any three powers delegated to CG officers under merchant shipping act 1956
- 10. Write a short note on "Treatment of POW".
- 11. Write a short note on Indo US nuclear cooperation agreement.
- Write a brief back ground of "Sir Creek" problem between India and Pakistan.
- 13. Explain the circumstances when a vessel is deemed as overtaking vessel.
- 14. Write short note on broadcast 'LN'.
- 15. Write five advantages and disadvantages of diesel engines.
- 16. Explain the safeties on engines of an OPV. Which one cannot be by passed at all?
- 17. Draw and explain the propulsion system on board an OPV.
- 18. List actions in case of a total power failure on board an OPV.
- 19. Explain 'Broach to and Pooping'.
- 20. List 'five defects in paint work and explain any two of than.
- 21. Write a short note on the role of Indian Navy during Kargil war.

- 22 Define high seas.
- 23. Write the 'duties' of CO, OOW and NO in blind pilotage organisation.

PART C (Total marks 60) (Each question carries 04 marks)

- 1. You are the XO and preparing to take another ship in tow. Explain the various preparations and menthol till taking another ship in tow?
- 2. Write down and explain qualities of an effective leader.
- 3. (a) Name six important navigational publications
 - (b) List six methods of fixing a ship.
- 3. (a) List eight factors, you will consider while selecting a place for anchoring.
 - (b) Write a brief on "Cardinal Marks" used in region B of IALA systems.
- 5. (a) A light is sighted 10 ° on the bow at an estimated distance of 12 Nm and it is desired to pass 4 Nm from the light. What is the clearance form the light on the present course and what alterations of course are necessary.
 - (b) List five steps of blind pilotage execution.
- 6. List the staff aspects to be considered while planning search by surface craft
- 7. Explain five important properties of oil that governs its behaviour.
- 8. (a) Define search, patrol, tracking.
 - (b) Explain various communications channels resorted to while a SAR ops in undertaken
- 9. Explain the duties of "authorized officers" as delegated under MZ1 al 1981.
- 10. You are the 'MTO' of the CG DHQ. You are given a task to hire a bus for school going children of the CG. Explain procedure.
- 11. Explain permanent, consumable and quasi permanent stores and their accounting.
- 12. Define
 - (a) WIG
 - (b) Restricted visibility
 - (c) Side lights
 - (d) Vessel ridiculed in her ability to manoeuvre
- 13. Write the responsibility of drafting and releasing officers.

Expand:-14. **ERDD** (a)

- DTNR (b)
- LOTS (c)
- (d) PPC
- QRNR (e)
- OEM (f) RPC (g)
- **RINMAT** (h)

15. Write

- (a)
- 7 point check drill Safety rules of small arms (b)

MCPE MODEL QUESTION PAPER (TECHNICAL)

Part I is common for all technical officers

Part II is only for Marine engineer/Air engineer officers

Part III is only for Marine electrical/Air electrical officers

All questions are compulsory

Part I

(Common for all technical Officers)

SECTION A (1 MARK EACH)

- 1. Letters to diplomatic and govt. officials will be
 - (a) Formal letter
 - (b) DO letter
 - (c) Service letter
 - (d) Service note

Ans(a)

- 2. A CG court can be convened by
 - (a) Central Government
 - (b) DG ICG
 - (c) Any officer empowered in this behalf by warrant of the DGICG
 - (d) Any one of above

Ans(d)

- 3. A break in VG conduct is mandatory if
 - (a) Character lower than very good is awarded
 - (b) Good conduct badge is intentionally not awarded when due
 - (c) Restoration of GCB has been intentionally delayed
 - (d) All of the above

Ans(d)

- (b) What is the mandatory professional qualification required for promotion of U/Ytk (ER) to P/Ytk(ER)
 - (a) UWKC
 - (b) ICEWKC
 - (c) Charge certificate
 - (d) CHERA course

Ans(a)

5.	Name	e the high speed memory used in the computer									
	(a)	RAM	(b)	Hard	Disk	(c)	BIOS	(d)	Cache	Ans(d)	
6.	The f	ormat u	ısed in	a Com	pact D	isk.					
	(a)	NTFS	6 (b)	FAT	(c)	CDI	(d)	CDR		Ans(c)	
7.	Proto	col use	d to re	ceive e	-mails	on inte	rnet				
	(a)	Outlo	ok	(b)	TCP/	IP (c)	SMTF	o (d)	POP 3	Ans(d)	
8.	ISO 9	9000 / 2	2002 de	efines							
	(a) (b) (c) (d)	Enviro Comp	ty Star onmen oany po the ab	t Stand olicy	lard					Ans (a)	
9.	Quali	ty circle	e is a						7		
	(a) (b) (c) (d)	work group group	group of employees working at one place who come forward to discuss work related problems group of employees appointed by management for quality control group of companies with similar quality standards None of the above. Ans(a)								
10	MIC	standa f	for								
10.	(a) (b) (c) (c)	Mana Move	ry Infoi gemer ment l	rmation at Inform nforma Iligent	nation tion Sy	Systen stem	1			Ans(b)	
11.	What	does F	RIC sta	nd for							
	(a) (b) (c) (d)	Ratio Remo	n Issue ote Ima	ating C e Centr ge Car above	е					Ans(a)	

12.	The si	he six Sigma quality means			
	(a) (b) (c) (d)	02 defects per billion Zero defects per billion 2.7 defects per billion 2% defects	Ans (a)		
13.	Montre	eal Protocol deals with			
	(a) (b) (c) (d)	Controlling marine oil pollution Controlling use of ozone depleting substances Convention of dealing with POW None of the above	Ans (b)		
14.	Halon	1301 is being phased out from developing countries by the year	ear		
Ans (a)	(a) (b) (c) (d)	2010 2011 2012 2020			
15.	VED a	analysis stands for			
	(a) (b) (c) (d)	Very Economic Desirable Vital Efficient Desirable Vital Essential Desirable Vital Essential Distinctive	Ans (c)		
16.	SWOT	Γ analysis stands for			
	(a) (b) (c) (d)	Strength Weakness Opportunity and Threat Stamina Will Obesity Threat Subtle Will Opportunity Threat None of above	Ans (a)		
17.	Critica	l path in network analysis is			
	(a) (b) (c) (d)	Shortest duration path between first to last activities of project Shortest duration path between last two activities Shortest duration path between central & last activities Longest duration path between first & last activities	ct Ans (d)		

18.	Float	Float of an activity in a network analysis is									
	(a) (b) (c) (d)	Maximum amount of delay that can be permitted Varieties to be considered for an activity Second choice for duration of activity None of the above Ans (a)									
19.		W. Sdward Deming contributed total following points in Total Quality Management (TQM).									
	(a)	12	(b)	13	(c)	14	(d)	15		Ans	s (c)
20.	ARD	stands	s for								
	(a) (b) (c) (d)	(b) Always Ready Data (c) Always Ready Delivery								s (d)	
21.	PER	T uses	followir	ng time	estima	ation fo	or durat	tion of a	an activity		
	(a) (b) (c) (d)	Thre	time times e times inuous	*						Ans	s (c)
SE	CTION	В									
1.	List t	he pun	ishmen	ts whic	ch can	be awa	arded b	y a CG	court.		2
2.	Give	the for	mat of i	minute	s of me	eeting.					4
3.	Wha	What are the important provisions in the Industrial factories act 1949? 2									
4.	Which is the DRDO establishment where you can get your POL tested? Name two more DRDO organisation with whom CG has been interacting? 2										
5.	Desc	Describe the material and repair organisation of CG in brief. 2									
6.	Wha	t is har	d reset	of a co	mpute	r? Wh	en is it	used?			1.5
7.	Wha	t is cac	he men	nory? I	Explain	the us	se of ca	ache me	emory in co	mputer.	. 1.5
8.	What is ADSL? How an ADSL Modem works? 4										
9.	What is carbon trading? 2										

10.	Which are the different types of organization? Which one is more close Coast Guard Organisation? Justify.	to 4
11.	What is the need for work study? Name five areas where work study finds its application.	4
12.	What are the objectives of imparting training to the employees by organisation?	an 3
13.	What are the aims of value analysis?	3
14.	Explain the procedure to regularize the loss of a permanent store item	4
15.	What are indirect and direct overheads?	2
16.	Describe the importance of JIT in inventory management and critical evaluate its applicability in CG inventory management.	lly 4
17.	What are the differences between Material Requirement Planning (MRF JIT and Supply Chain Management (SCM)	²), 4

Part II

(Only for Marine Engineer / Air Engineer Officers)

SEC	CTION A(1 MARK EACH)	
1.	The disadvantage of using CO ₂ for fire figh	iting is that
	 (a) CO₂ does not cool the fire. (b) They are not effective on class B fir (c) They are corrosive. (d) Not effective on class C fire. 	e. Ans (a)
2.	When entering a compartment which is on	fire
	 (a) You must wear rubber gloves. (b) The flames should be beaten back to a straight stream of water should be a straight stream of water shou	9
3.	Metacentric height (GM) cannot be used a of inclination as	s an indicator of stability at all angles
	 (a) M is not fixed at larger angles. (b) There is no M at larger angles. (c) G is not fixed at larger angles. (d) There is no G at larger angles. 	Ans (a)
4.	The value of maximum righting arm is dep buoyancy and the	endent upon the position of the centre
	 (a) Longitudinal cg (b) Vertical location of cg (c) Transverse cg (d) Metacentric height 	Ans (b)
5.	Damage stability of a ship is the stability	
	 (a) Which exists when the wind speed i (b) Before collision (c) After flooding (d) At survival draft 	s less than 50 kn. Ans (c)

6.	What is	s the usual effec	t of movin	g weight from lo	ower decks to upp	er decks?
	(b) (c)	Increase in stab Reduced draft Reduced stabilit	ty			
	(d)	Reduced reserv	e buoyand	cy.		Ans (c)
7.	Fire ho	ses should alwa	ays be stov	wed in a manne	r which will allow	
		All sections to b				
	· /	The nozzle end				
		All section are q				
	(d)	Easy carrying of	t hose to a	ny other locatio	n.	Ans (b)
8.	The cra	ank case of man	ny diesel e	ngines are kept	under a slight va	cuum to
	(a)	Improve fuel eco	onomy			
		Improve air cha		v'		
		Reduce the risk				
		All of the above				Ans (c)
9.	Fngine	operating cond	itions may	be indicated by	the colour of ext	naust smoke
0.		smoke could indi				iddot omonor
	(-)	las efficient sons	al alon and	ettin a		
		Insufficient spee		etting.		
		Overloaded eng Clogged drain h		oil control rings	2	
		Complete comb		on control inig.	5.	Ans (b)
	()	Jonipioto Jonia		·		, (a)
10	\\/bati	o the province	n ormio oibl	a dilution laval	of luboil in odio	and ampling
10.	vviiati	s the maximum	permissibi	e dilution level	of lub oil in a dies	sei engine
	(a) 3 %	(b)) 5 %	(c) 8 %	(d) 10 %	Ans (b)
11.	One of	the most comm	on cause	of reduction aea	ar failure is gear v	vear caused by
		g as a result of		or rought got		
	(0)	Curfoso fotigue	of goors			
		Surface fatigue Inadequate lub	-			
		Plastic flow of g				
		Fretting corrosic		ence of water in	oil	Ans (b)
	` '	J	<i>y</i> 1			· /

12.	If a refrigeration compressor had developed a high suction pressor	ure
	(a) Accumulation of air or non condensable gases in the syste(b) Clogged sub cooler	em.
	(c) Liquid refrigerant flooding back from cooling coil.(d) High ambient temperature.	Ans (a)
13.	One of the consequences in continuing to operate a centrifugal b discharge valve closed is that the	ilge pump with
	 (a) Motor overload will operate. (b) Relief valve will operate. (c) Pump will overheat. (d) Motor will overheat. (e) All of above. 	Ans (c)
14.	The usual symptoms of cavitation in a centrifugal pump are	•
	 (a) Noise and vibration. (b) Increased discharge pressure. (c) Turbulent flow through pipes. (d) Reduced discharge. 	Ans (a)
15.	The purpose of an air compressor unloading device is to	
	 (a) Drain water from the systems. (b) Drain water from the cylinders. (c) Delay the compression process until the motor is upto spe (d) All of the above. 	ed. Ans (c)
16.	Compared to a FPP, a CPP	
	 (a) More efficiently uses available engine power. (b) Operates at a lower efficiency at a fixed speed. (c) Produces same torque at lower engine speed. (d) Develops its rated power at a lower speed. 	Ans (a)
17.	A piece is missing from one of the blades of a four bladed propell can result in	er and
	(a) Accelerated stern bearing wear.(b) Excessive shaft vibrations.(c) Unusual noises.	
	(d) All of the above.	Ans (d)

18.	The v	valve which is most suited for regulating the flow through a pi	peline is
	(a)	Gate valve.	
	(b)	Globe valve.	
	(c) (d)	Swing-check valve. Needle valve.	Ans (b)
	(u)	Needle valve.	Alis (b)
19.	-	oper seating of an air starting check valve in an operating die ated by	sel engine is
	(a)	Noise from air starting valve.	
	(b)	An over heated air supply pipe to the cylinder head.	
	(c) (d)	Continuous operation of air compressor. Zero air pressure in air starting system.	Ans (b)
	(u)	Zero dii pressure in dii starting system.	7113 (b)
20.		normally operating diesel engine the main source of lub oil co rank case is a result of the	ontamination in
	(a)	Metal particles loosened by wear.	
	(b)	Condensation of water vapours.	
	(c)	Break down of the lubricating oil itself.	• ()
	(d)	Fuel dilution.	Ans (c)
21.	Pipin	g cross-sections ranging from 3 mm to 300 mm in dia are siz	ed by
	(a)	Wall thickness	
	(b)	Nominal inside dia	
	(c) (d)	Outside dia Threaded dia	Ans (b)
	(u)	Thiodoc did	7 110 (5)
22.		asing the load on an engine equipped with a constant speed rnor, will cause the engine speed to initially	mechanical
	(a)	Increase	
	(b)	Decrease	
	(c)	Fluctuate Remain constant	Ans (b)
	(4)	Terrain constant	7413 (5)
23.		h combination of propulsion system will give optimum power e and boost power requirement	output at both
	(a)	CODOG	
	(b)	CODAD CODAG	
	(d)	CODAL	Ans (a)
			` '

- 24. During the diesel engine power stroke, the side thrust of a trunk type piston is a result of the angle
 - (a) Formed by the connecting rod and cylinder center line
 - (b) Of the bevel on the piston oil rings
 - (c) Formed by the crank arm and crank pin
 - (d) Formed by the master and link connecting rods Ans (a)

SECTION B

25.	Explain the standard fire fighting and damage control organisation of a CG OPV in harbour.	4 Marks
26.	What is the purpose a conducting an inclining experiment? Explain the procedure and obtain the expression.	4 Marks
27.	Name five leak stopping devices and its application.	1.5 Marks
28.	What is free surface effect? How can it be avoided?	1.5 Marks
29.	Briefly explain the role of classification societies in the new corprojects and refit ships.	struction 3 Marks
30.	Explain the IC engine power statement as per IS 3046.	2 Marks
31.	What is dual certification of a new construction ship? Na classification societies	ame five 2 Marks
32.	Explain the seasoning procedure of a new AVCAT fuelling hose prior to installing to any AVCAT system.	2 Marks
33.	Which are the occasions on which sea trials are required to be conducted in the case of a CG ship	2 Marks
34.	What are the NDT techniques being used by ICG during normal Ops cycle, refits and new construction of ships.	2 Marks
35.	What is fatigue life of any engineering component? How maximum fatigue life of ship's propeller shaft can be ensured?	2 Marks
36.	What are factors to be considered in selecting the material for any system piping	2 Marks
37.	What are super cavitating propellers?	2 Marks
38.	What is nominal speed of a governor?	2 Marks

39. What is crankshaft deflation? What are the reasons and how it is measured? 4 marks 40. How preservation of a diesel engine is carried out? 4 marks 41. What is IPMs? Explain. 4 marks 42. What are the design requirement of propeller and shafting? 4 marks 43. Which are the occasions during which deck breakage readings of a ship are taken? Explain one of the methods of measuring the deck breakage readings. 4 marks 44. What is sequential turbo charging of IC engines? Explain the advantages and disadvantages. 4 marks **PART III** (FOR MARINE ELECTRICAL/AIR ELECTRICAL OFFICERS) **SECTION A** Note each question carry 1 mark (24X1) 1. The difference between primary and secondary cell is that the secondary cell can be Recycled (a) (b) Recharged Reused (c) Repaired Ans (b) (e) 2. The specific gravity of the charged cell will (a) Decrease (b) Remain same Increase (c) (d) None of above Ans (c) The equipment is earthed for the safety of (a) Equipment Personnel (b) (c) Both

Ans (b)

(d)

None of above

4.	The n	formal size of antenna is	
	(a)	λ	
		λ/2	
	(b)		
	(c)	None of above	A = = (=)
	(d)	None of above	Ans (a)
5.	An un	niversal motor is the motor which can be operated with	
	(a)	DC and single phase AC	
	(b)	DC and three phase AC	
	(c)	DC and single phase AC with same speed and output.	
	(d)	None of above	Ans (c)
	,		
6.	The n	nain advantage of stationary armature (rotating field gene	rator) is
	(a)	It is easier to insulate stationary armature winding	
	(b)	It is easier to rotate the field	
	(c)	It is not advisable that the field is to be stationery at high	er voltages
	(d)	None of above	Ans (a)
			, ,
7.		rated speed of the primover is reduced the output frequer	ncy of the
	gener	rator will	
	(a)	Increase	
	(b)	Decrease	
	. ,		
	(c)	No change None of above	Ana (h)
	(d)	None of above	Ans (b)
8.	If A a	nd B are the input of the EX-OR gate; the output will be	
	(a)	A'B + AB'	
		A'B' + AB	
	(b)		
	(c)	A' + AB	A (-)
	(d)	AB + 2 AB	Ans (a)
9.	Comr	olementary Metal Oxide Semiconductor (CMOS) is primari	ilv used in
	Comp	mementary inetal exide definition addition (divide) is primari	ny doca m
	(a)	High packing density applications	
	(b)	Low power applications	
	(c)	Both (b) & (c)	
	(d)	None of above	Ans (b)
	(~)		,o (<i>b</i>)

10.	Arc T	ime Constant of ACBs is	
	(a) (b) (c) (d)	It is time required to regain dielectric strength of the medium It is time required to quench the arc of the medium It is time required to charge the capacitor None of above	Ans (a)
11.	The p	rotection level of ICCP is gauged with respect to	
	(a) (b) (c) (d)	Reference potential Anode potential Hull potential None of above	Ans (a)
12.	Main	advantage of Laser Ring Gyro on Conventional Gyro is	
	(a) (b) (c) (d)	Laser Gyro does not have moving parts It uses laser It is cheap in cost None of above	Ans (a)
13.	Gyro	sphere consists of	
	(a) (b) (c) (d)	One rotor Two rotors Three rotors Combination of (a) & (b)	Ans (b)
14.	'Muff'	couplings are used to connect	
	(a) (b) (c) (d)	Emergency cables in case of the damage Radio cable used with radars Power cables for shore supply Wires	Ans (a)
15.	The S	SID is the abbreviation of	
	(a) (b) (c) (d)	Safe Identification Device Sole Identification Device Support Identification Device None of above	Ans (a)

uency range of 'S' Band radar is	
3110 MHZ – 3200 MHZ 3040 GHZ – 3060 GHZ 3040 MHZ – 3060 MHZ 3110 GHZ – 3200 GHZ	Ans (b)
	directional
Increase in power density Decrease in power density Power density remains same None of above	Ans (a)
r Range Finder (LRF) fitted on board AOPVs uses	,
NDYAG Laser Semiconductor Laser Gas Laser Dye Laser	Ans (a)
Safe Laser means	
One can continuously look into the laser and it will not affect Looking into the laser for small duration will not affect the ey Accidental exposure of eye to the laser will not affect the eye None of above	е
One can continuously look into the laser and it will not affect Looking into the laser for small duration will not affect the ey Accidental exposure of eye to the laser will not affect the eye	e e
One can continuously look into the laser and it will not affect Looking into the laser for small duration will not affect the ey Accidental exposure of eye to the laser will not affect the eye None of above	e e
One can continuously look into the laser and it will not affect Looking into the laser for small duration will not affect the ey Accidental exposure of eye to the laser will not affect the eye None of above er factor improving devices are located at Receiving end of power Transmitting end of power In between receiving and transmitting end of power	e Ans (c)
	3040 GHZ – 3060 GHZ 3040 MHZ – 3060 MHZ 3110 GHZ – 3200 GHZ gain of unidirectional antenna is more than increases on Omnina due to Increase in power density Decrease in power density Power density remains same None of above r Range Finder (LRF) fitted on board AOPVs uses NDYAG Laser Semiconductor Laser Gas Laser

In case of semiconductor diode barrier potential developed across the junction can be
(a) Used as a cell
(b) Cannot be used as a cell

Ans (b)

Can be used as a low potential battery

23. CCDs are used in TV cameras

None of above

- (a) To have high resolution
- (b) Reduced size
- (c) Both (a) & (b)
- (d) None of above Ans (c)
- 24. AELs stand for

(c)

(d)

- (a) Automotive Energy Lights
- (b) Accessible Engineering Ledgers
- (c) Auto Equipment Ledgers
- (d) None of above Ans (a)

PART III

SECTION B

Each question carries 4 marks (8x4)

- 1. In case of emergency MSB watch keeper is required to switch off certain loads from the MSB, explain the sequence of switching off of the loads with colour codes?
- Explain the procedure of calibration of EM log?
- 3. Draw simple block diagram of the Echo sounder?
- 4. Explain effect of each parameter, considered for formulation of the radar range equation on radar range under ideal condition?
- 5. Draw simple block diagram of Electro-Optic Fire Control System (EOFCS)?
- 6. Write short notes on
 - (a) IMCS
 - (b) IBS

- 7. The performance of DGPS is superior on GPS, how it is obtained?
- 8. Write the principle of wind speed indicator?

PART III

SECTION C

Each question carries 2 marks (12x2)

- 1. What is the role of reference electrode in ICCP?
- 2. Explain various methods to quench the Arc produced in the circuit breakers?
- 3. Explain, with illustrated examples, the role of converted supplies on board ship?
- 4. Differentiate between 'D' Flip Flop and JK Flip Flop?
- 5. Write short note on EMI / EMC?
- 6. What is expulsion type fuse?
- 7. Explain role of controller unit in autopilot system?
- 8. What type of detector is used to detect the mist formation in lub oil sump of the main engine?
- 9. Why we are using 3 wire system despite 4 wire system has more advantages in power distribution system?
- 10. What is the role of 25 V 333 HZ power supply in Gyro?
- 11. Explain PMS (Power Management System) in brief?
- 12. What is MER (Marine Event Recorder)? Explain in brief.

MARITIME LAW

(Limited questions placed for preparation by candidates on similar guidelines based on the syllabus.)

PART I

OBJECTIVE

- 01. An act which provides regulations regarding territorial water, continental shelf and exclusive economic zone and other maritime zone of India is know as
 - (a) MZI Act 1978
 - (b) TW Act 1978
 - (c) EEZ Act 1976
 - (d) MZI Act 1976
- 02. Palk straight are the historical water between India and which country
 - (a) Bangladesh
 - (b) Sri Lanka
 - (c) Pakistan
 - (d) Maldives
- 03. When of the following does not cover under definition of fish as per MZI Act 1976
 - (a) Aquatic animal
 - (b) Coral
 - (c) Sea weed
 - (d) None of the above
- 04. Which all state have the right to sail ship through it flag on the high sea
 - (a) All coastal state
 - (b) All state with major port
 - (c) All commonwealth state and coastal state organisation
 - (d) Every state, whether coastal or land locked
- 05. State will not have which of the following control over ship flying its flag
 - (a) Administrative
 - (b) Technical
 - (c) Navigational at high sea
 - (d) Social matter
- 06. A war of high sea will have complete immunity form the jurisdiction of any state

- (a) Except flag state
- (b) Except coastal state
- (c) Both of them
- (d) Non of the above
- 07. Fishing with out license / permit is violation of which section under MZI Act 1981
 - (a) S 3/10
 - (b) S 3/30
 - (c) S 4/40
 - (d) S 2/30
- 08. Failing to stow fishing gear in the prescribed manner is a violation under which section of MZI Act 1981
 - (a) S 7/14
 - (b) S 7/321
 - (c) S 7/28
 - (d) S 7/35

PART II

SHORT ANSWER

- 01. Define exclusive economic zone?
- 02. Define high seas?
- 03. Define Historic water?
- 04. Define contiguous zone of India?
- 05. Define continental shelf?
- What all documents CG Ship to maintain to preserve the evidence leading to inspection / apprehension of foreign vessel under MZI Act 1981?
- 07. What are the powers given to Coast Guard Officer under MZI Act 1976 and Amended MZI Act 1981?
- 08. What is the definition of warship as pr UNCLOS?
- 09. What is Territorial water and how is it different from EEZ?

PART III

LONG ANSWER

- 01. Explain exploration and survey of an offshore area including various drilling rigs used?
- 02. Explain exposed location single buoy mooring (ELSBM) and how is the difference from offshore storage system?
- O3 Explain the details of powers exploded to Coast Guard Officers under various section of Merchant Ship Act 1951?